

목차

Config download already in progress 3

 참조링크 3

Config download already in progress

오픈스택 오버클라우드 배포 시 아래와 같은 오류가 발생하는 경우

```
Removing short term keys locally
Enabling ssh admin - COMPLETE.
Overcloud Endpoint: http://192.168.0.120:5000
Overcloud Horizon Dashboard URL: http://192.168.0.120:80/dashboard
Overcloud rc file: /home/stack/overcloudrc
Overcloud Deployed with error
Config download already in progress with execution id 67921d34-a819-44bf-b042-5bf4d69856c2 for stack overcloud
(undercloud) [stack@director ~]$
```

이전에 수행했던 작업이 비정상적으로 종료되었거나 작동중인 경우 이다.

이런 경우 해당 워크플로를 종료/삭제 시켜주면 된다.

먼저 가장 쉬운 방법은 디렉터 노드를 리부팅 시키는 것이고 리부팅 이후 아래 명령어로 해당 워크플로를 삭제한다.

```
$ openstack workflow execution list

$ openstack workflow execution show 67921d34-a819-44bf-b042-5bf4d69856c2

$ openstack workflow execution delete --force 67921d34-a819-44bf-b042-5bf4d69856c2
Request to delete execution 67921d34-a819-44bf-b042-5bf4d69856c2 has been accepted.
(undercloud) [stack@director ~]$ openstack overcloud delete overcloud
Are you sure you want to delete this overcloud [y/N]? y
```

참조링크

- https://bugzilla.redhat.com/show_bug.cgi?id=1892679

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/config_download_already_in_progress

Last update: 2022/02/18 06:32



