

목차

System Default java version 변경	3
---------------------------------------	----------

System Default java version 변경

CentOS 의 경우 alternatives 명령어로 기본 자바 버전을 변경할 수 있다.

Debian도 동일한 명령어를 제공하는데 update-alternatives 라는 명령어이다.

사용법은 아래와 같다.

```
root@meet:~# java -version
openjdk version "17.0.3" 2022-04-19
OpenJDK Runtime Environment (build 17.0.3+7-Debian-1deb11u1)
OpenJDK 64-Bit Server VM (build 17.0.3+7-Debian-1deb11u1, mixed mode,
sharing)
```

```
root@meet:~# update-alternatives --config java
대체 항목 java에 대해 (/usr/bin/java 제공) 2개 선택이 있습니다.
```

선택	경로	우선순	태
* 0	/usr/lib/jvm/java-17-openjdk-amd64/bin/java	1711	자동
모드			
1	/usr/lib/jvm/java-11-openjdk-amd64/bin/java	1111	수동
모드			
2	/usr/lib/jvm/java-17-openjdk-amd64/bin/java	1711	수동
모드			

```
Press <enter> to keep the current choice[*], or type selection number: 1
update-alternatives: using /usr/lib/jvm/java-11-openjdk-amd64/bin/java to
provide /usr/bin/java (java) in manual mode
```

```
root@meet:~# java -version
openjdk version "11.0.15" 2022-04-19
OpenJDK Runtime Environment (build 11.0.15+10-post-Debian-1deb11u1)
OpenJDK 64-Bit Server VM (build 11.0.15+10-post-Debian-1deb11u1, mixed mode,
sharing)
root@meet:~#
```

From:
<https://atl.kr/dokuwiki/> - AllThatLinux!

Permanent link:
https://atl.kr/dokuwiki/doku.php/system_default_java_version_%EB%B3%80%EA%B2%BD

Last update: 2022/06/16 03:39

