

- Apache HTTPD** 1
- Method** 1
- Apache httpd logfile permission(umask)** 1
- envvars 1
- apachectl 2

Apache HTTPD

Method

[/etc/httpd/conf.d/method.conf](#)

```

<Location "/*">
  <LimitExcept GET POST>
    Order deny,allow
    Deny from all
  </LimitExcept>
</Location>

```

Apache httpd logfile permission(umask)

644

umask

umask가 0022

envvars

```

apache )
        apachectl
        envvars
        . (

```

```

# pick up any necessary environment variables
if test -f /APP/httpd-2.4.39/bin/envvars; then
  . /APP/httpd-2.4.39/bin/envvars
fi

```

envvars

envvars

umask

가

envvars

```

umask 0027 #<- 4

```

apachectl

apachectl

envvars

(Redhat JBCS(Jboss core services)

) apachectl

umask

.

```
umask 0027 #<-
```

```
4
```

```
umask
```

```
.
```

From: <http://allthatlinux.com/dokuwiki/> - AllThatLinux!

Permanent link: http://allthatlinux.com/dokuwiki/doku.php?id=apache_httpd_%EB%B3%B4%EC%95%88%EC%B7%A8%EC%95%BD%EC%A0%90_%EC%A0%90%EA%B2%80

Last update: 2019/11/12 11:26

