

<b>HTTP</b>	.....	1
	.....	1
<b>2XX</b>	.....	1
<b>3XX</b>	.....	1
<b>4XX</b>	.....	1
<b>5XX</b>	.....	2



# HTTP

Response Class Code	Response Class	
1xx	Informational ( )	, .
2xx	Success ( )	.
3xx	Redirection ( )	가 .
4xx	Client Error ( )	
5xx	Server Error ( )	

## 2XX

CODE	STATUS	Description
200	OK	*
204	No Content	* * (Entity Body) * 가 .
206	Partial Content	* Range가 , .

## 3XX

CODE	STATUS	Description
301	Moved Permanently	* URI가 , URI . ( URI )
302	Found	* URI가 , URI . 301 , 302 URI )
303	See Other	* URI GET . 302 , 303 GET .
304	Not Modified	* 가 300 .
307	Temporary Redirect	*

## 4XX

CODE	STATUS	Description
400	Bad Request	* * 200 OK .

CODE	STATUS	Description
401	Unauthorized	* HTTP (BASIC , DIGEST ) 가 *
403	Forbidden	* . Directory Listing ( ) 가 IP . ( ) *
404	Not Found	* 가 가
405	Method Not Allowed	* HTTP .

## 5XX

CODE	STATUS	Description
500	Internal Server Error	* 가 .
503	Service Unavailable	* 가 * 가
504	Gateway Timeout	* 가 .
505	HTTP Version Not Supported	* HTTP .

From: <http://allthatlinux.com/dokuwiki/> - AllThatLinux!

Permanent link: [http://allthatlinux.com/dokuwiki/doku.php?id=http\\_response\\_status\\_code](http://allthatlinux.com/dokuwiki/doku.php?id=http_response_status_code)

Last update: 2018/10/03 14:08

