

- JBoss EAP 6.x - System properties** ..... 1
- Servlet Container and Connectors*** ..... 1
- EL*** ..... 2
- JSP*** ..... 3
- Security*** ..... 3



# JBoss EAP 6.x - System properties

## Servlet Container and Connectors

jvmRoute	jvmRoute standalone-ha.xml ha reload
org.apache.tomcat.util.buf.StringCache.byte.enabled	true String 가 ByteChunk 가 false
org.apache.tomcat.util.buf.StringCache.char.enabled	true CharChunk String 가 false
org.apache.tomcat.util.buf.StringCache.cacheSize	String 5000
org.apache.tomcat.util.buf.StringCache.maxStringSize	String 128
org.apache.tomcat.util.http.FastDateFormat.CACHE_SIZE	1000
org.apache.catalina.core.StandardService.DELAY_CONNECTOR_STARTUP	true
org.apache.catalina.connector.Request.SESSION_ID_CHECK	true Servlet ID ID가
org.apache.coyote.USE_CUSTOM_STATUS_MSG_IN_HEADER	true HTTP 가 HTTP 가 XSS 가 가 ISO-8859-1 value가 false
org.apache.tomcat.util.http.Parameters.MAX_COUNT	IllegalStateException 512

org.apache.tomcat.util.http.MimeHeaders.MAX_COUNT	HTTP ( ), IllegalStateException 128
org.apache.tomcat.util.net.MAX_THREADS	가 32 x Runtime.getRuntime().availableProcessors() (JIO 512 x Runtime.getRuntime().availableProcessors())
org.apache.coyote.http11.Http11Protocol.MAX_HEADER_SIZE	HTTP ( ) ArrayOutOfBoundsExceptions 8192
org.apache.coyote.http11.Http11Protocol.COMPRESSION	HTTP off on
org.apache.coyote.http11.Http11Protocol.COMPRESSION_RESTRICTED_UA	regexps.
org.apache.coyote.http11.Http11Protocol.COMPRESSION_MIME_TYPES	가 text / html, text / xml, text / plain
org.apache.coyote.http11.Http11Protocol.COMPRESSION_MIN_SIZE	2048
org.apache.coyote.http11.DEFAULT_CONNECTION_TIMEOUT	60000 ms
org.jboss.as.web.deployment.DELETE_WORK_DIR_ONCONTEXTDESTROY	JSP 가 .java .class. false -1ms
org.apache.tomcat.util.buf.StringCache.trainThreshold	toString() 100000

## EL

org.apache.el.parser.COERCE_TO_ZERO	true , “ null , 가 . value가 true가
-------------------------------------	--

# JSP

org.apache.jasper.compiler.Generator.VAR_EXPRESSIONFACTORY	_el_expressionfactory . value가
org.apache.jasper.compiler.Generator.VAR_INSTANCEMANAGER	_jsp_instancemanager . value가
org.apache.jasper.compiler.Parser.STRICT_QUOTE_ESCAPING	false JSP 가 true가
org.apache.jasper.Constants.DEFAULT_TAG_BUFFER_SIZE	org.apache.jasper.Constants.DEFAULT_TAG_BUFFER_SIZE 가 512 가
org.apache.jasper.runtime.JspFactoryImpl.USE_POOL	true , ThreadLocal PageContext value가 true가
org.apache.jasper.runtime.JspFactoryImpl.POOL_SIZE	ThreadLocal PageContext 8 . value가
org.apache.jasper.Constants.JSP_SERVLET_BASE	JSP Servlet org.apache.jasper.runtime.HttpjspBase . value가
org.apache.jasper.Constants.SERVICE_METHOD_NAME	value가 _jspService
org.apache.jasper.Constants.SERVLET_CLASSPATH	JSP ServletContext value가 org.apache.catalina.jsp_classpath
org.apache.jasper.Constants.JSP_FILE	<jsp-file> request.getServletPath ()가 JSP . value org.apache.catalina.jsp_file
org.apache.jasper.Constants.PRECOMPILE	JSP . value가 org.apache.catalina.jsp_precompile
org.apache.jasper.Constants.JSP_PACKAGE_NAME	JSP org.apache.jsp
org.apache.jasper.Constants.TAG_FILE_PACKAGE_NAME	. value가 , org.apache.jsp.tag
org.apache.jasper.Constants.TEMP_VARIABLE_NAME_PREFIX	_jspx_temp . value가
org.apache.jasper.Constants.USE_INSTANCE_MANAGER_FOR_TAGS	true , . value true가
org.apache.jasper.Constants.INJECT_TAGS	true . value가 false가

# Security

org.apache.catalina.connector.RECYCLE_FACADES	true 가 facade 가 . value false가
---	---

org.apache.catalina.connector.CoyoteAdapter.ALLOW_BACKSLASH	true '\', value false가
org.apache.tomcat.util.buf.UDecoder.ALLOW_ENCODED_SLASH	true '% 2F' '% 5C'가, value false가

From: <http://allthatlinux.com/dokuwiki/> - AllThatLinux!

Permanent link: [http://allthatlinux.com/dokuwiki/doku.php?id=jboss\\_eap\\_6.x\\_-\\_system\\_properties](http://allthatlinux.com/dokuwiki/doku.php?id=jboss_eap_6.x_-_system_properties)

Last update: 2019/05/27 10:59

