

SSH - 1

/etc/ssh/sshd_config 1

/etc/pam.d/sshd 1

/etc/pam.d/system-auth 2

..... 2

ssh_-
Last update: 2018/08/28 18:09
- http://allthatlinux.com/dokuwiki/doku.php?id=ssh_-_%ED%8A%B9%EC%A0%95_%EC%82%AC%EC%9A%A9%EC%9E%90%EB%B3%84_%EC%A0%91%EA%B7%BC_%EC%84%A4%EC%A0%95

SSH -

/etc/ssh/sshd_config

[/etc/ssh/sshd_config](#)

```
# AllowGroups :
# AllowUsers :
# DenyGroups :
# DenyUsers :

# user1 user2 ( user2 )
DenyUsers user1 user2

# user1 user2 ( user2 )
AllowUsers user1 user2

# ( user001 ~ user100 )
DenyUsers user*

# Allow Deny 가
```

/etc/pam.d/sshd

```
/etc/pam.d/sshd sshd telnet, console
/etc/pam.d/system-auth
```

[/etc/pam.d/sshd](#)

```
##%PAM-1.0
auth required pam_listfile.so item=user sense=deny
file=/etc/ssh/sshusers onerr=succeed

# 가 /etc/ssh/sshusers . (
.)
```

[/etc/ssh/sshusers](#)

```
# ssh 1
```

```
user1
user2
```

/etc/pam.d/system-auth

/etc/pam.d/system-auth

```
auth required pam_env.so

auth required pam_listfile.so # <<== new line add

auth sufficient pam_unix.so nullok try_first_pass
auth requisite pam_succeed_if.so uid>= 500 quiet
auth required pam_deny.so
```

/etc/pam.d/system-auth

```
#
auth required pam_listfile.so onerr=fail item=group sense=allow
file=/etc/login.group

#
auth required pam_listfile.so onerr=fail item=user sense=allow
file=/etc/login.group
```

- onerr = fail : (I/O). 가
- item = group : (user :)
- sense = allow : /etc/login.group (deny :
- file = /etc/login.group : / 가 . /
sense = allow PAM_SUCCESS가

- <https://access.redhat.com/solutions/252773>

From: <http://allthatlinux.com/dokuwiki/> - AllThatLinux!

Permanent link: http://allthatlinux.com/dokuwiki/doku.php?id=ssh_%ED%8A%B9%EC%A0%95_%EC%82%AC%EC%9A%A9%EC%9E%90%EB%B3%B4_%EC%A0%91%EA%B7%BC_%EC%84%A4%EC%A0%95

Last update: 2018/08/28 18:09

